

ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
Data Sheet for extension of approval (UG/PG Courses) beyond the academic year 2009-10

Part: 1 Information to be filled by concerned institutions (to be field by the institution and attached with compliance report)

I. Institutional Information:

F. No **06/06/KTK/ENGG/2002/019** dated **06.06.2002**

Region : **BANGALORE**

State : **KARNATAKA**

Programme : **Degree UG/PG courses**

Name of the Institution & Address.	Location	Temporary /Permanent Acres	Category		Accreditation Status				Status		
			> 10 yrs	5 to 10 yrs	YES	NO	P		Government		
BMS INSTITUTE OF TECHNOLOGY Post Box No. 6443, Doddaballapura Main Road, Avalahalli, Yelahanka, Bangalore-560 064. Phone: 080-28567187 Fax : 080-28567186 Email : principal_1bmsit@rediffmail.com Web site: www.bmsit.org	Land		> 10 yrs		YES					Government	
	Mega		5 to 10 yrs	P	Accreditation w.e.f				Self- financing	P	
	Metro	21			Date:		Yrs.		Univ. Dept.		
	Others		< 5 Yrs						Govt. Aided		
	Year of first AICTE Approval :	2002			01.02.2005				Minority		
					Date of last Expert Committee Visit :				Women		

Name of the Head of the Institution	<i>Dr. S. Venkateswaran</i>	Highest Qualification with Specialization		Pan No :	ACEPV2871L	Experience		
		<i>M.Sc. (Engg.), Dr.Tech.(Mech)TU-Vienna, Ph.D (Mech)</i>				Industrial	Teaching	Total
Date of Birth :	25.07.1955	Division of Passing		DOJ	07.06.2008			
		UG Level	PG Level			9 Years	17 Years	26 Years
		B.E (Mech)	M.Sc. (Engg.), Ph.D (Mech)					

II. Approved Programme(s) & Faculty Details:

S. No.	Name of the Course	Yr. of first approval	Accreditation Status (Alonwith Date of Validity)	PIO		Sanctioned intake 2006-07 I	Sanctioned intake 2007-08 II	Sanctioned intake 2008-09 III	Sanctioned intake 2009-10 IV	Actual Admissions 09-10	Excess Admissions (if any)	Total II+III+IV	Faculty Req.	Faculty Available for existing courses										
				Sanctioned	Adm.									P		AP		L			Total	Shortfall		
														Ph.D	PG	Ph.D	PG	UG	PG	Ph.D		No.	%	
	UG																							
	ECE	2002				60	60	60	90			180	12	-	-	-	2	6	4	-	12	-	-	
	CSE					60	60	60	90			180	12	-	-	-	3	4	5	-	12	-	-	
	ME					60	60	60	60			180	12	3	-	-	3	-	7	-	13	-	-	
	EEE	2003				60	60	60	60			180	12	1	-	-	2	1	7	-	11	1	6.67	
	TE					60	60	60	60			180	12	-	-	-	2	4	4	-	10	2	13.33	
	PG																							
	MCA	2003				60	60	60	60			120	10	1	-	-	2	-	7	-	10	-	-	
	H & S												20	1	-	3	-	1	13	2	20	-	-	
	Total Intake UG & PG					360	360	360	420				92								88	3		

Whether PAN No. of all faculty members had been indicated by the Institution in the Compliance Report: **Yes**

NO

III. Built-up Area:

S.No.	Facilities		Requirements			Total Required	Available	Shortfall		
			Engg	MBA	MCA			Absolute	Percentage (%)	
1.	Total Built-up Area Built up area should be separately calculated for MBA/MCA as additional Branch in an Engineering Institution. (B.E + M.E for Full Time Programmes)		14742	-	2106	16848	31159	--	--	
2.	Instructional Area		7560	-	1080	8640	10753	--	--	
3.	Computer Facilities	No. of Computer	315		90	405	450	--	--	
		LAN Facilities	158	-	45	203	310	--	--	
4.	Library Facilities (from the date of first approval by AICTE)	No. of Books	16604	-	9200	25804	26030	--	--	
		No. of Journals	National	36	-	6	42	44	--	--
			International	36	-	6	42	19**	-	-

219 IEL (IEEE, IEE) online journals from INDEST Consortium
94 E-books from CUP

* Includes books, book bank, donated and complimentary copies, departmental library books, SC/ST and Misc. books

** As per the AICTE Advt. No. AICTE/PC/2(1)2006 in Times of India Newspaper dated 03.02.2006, the subscription to e-journals through Consortium would be treated as a substitute to the requirement of foreign journals in print.

IV. Whether the institution is running unapproved programmes / including in Malpractices such as violation of norms, charging of excess fees, capitation fees or any other type of complaint. **Yes / No**

V. Whether the Institute hosted its Mandatory Disclosure on the website : **Yes / ~~No~~** Date of updating the website : August 2009
If YES, provide website address: [http:// www.bmsit.org.in](http://www.bmsit.org.in)

VI. Details of compliance of deficiencies communicated in the last approval letter.

Sl. No.	Deficiencies Communicated / Specific Conditions	Compliance Report																											
1	Cadre ratio as per AICTE norms should be maintained.	Maintained.																											
2	<p>Faculty shortfall:</p> <table border="1" data-bbox="241 532 1052 651"> <thead> <tr> <th>Course (s)</th> <th>Shortfall</th> </tr> </thead> <tbody> <tr> <td>Electronics & Communication Engg.</td> <td>8.3%</td> </tr> <tr> <td>MCA</td> <td>16.06%</td> </tr> <tr> <td>H & S</td> <td>20%</td> </tr> </tbody> </table>	Course (s)	Shortfall	Electronics & Communication Engg.	8.3%	MCA	16.06%	H & S	20%	<p>As per VTU norms the required faculty is available.</p> <table border="1" data-bbox="1171 561 2003 737"> <thead> <tr> <th>Course (s)</th> <th>Faculty required</th> <th>Faculty available</th> <th>Shortfall Number</th> </tr> </thead> <tbody> <tr> <td>Electronics & Communication Engg.</td> <td>12</td> <td>13*</td> <td>-</td> </tr> <tr> <td>MCA</td> <td>10</td> <td>10</td> <td>-</td> </tr> <tr> <td>H & S</td> <td>20</td> <td>20</td> <td>-</td> </tr> </tbody> </table> <p>* One additional faculty for increase in intake from 60 to 90</p>				Course (s)	Faculty required	Faculty available	Shortfall Number	Electronics & Communication Engg.	12	13*	-	MCA	10	10	-	H & S	20	20	-
Course (s)	Shortfall																												
Electronics & Communication Engg.	8.3%																												
MCA	16.06%																												
H & S	20%																												
Course (s)	Faculty required	Faculty available	Shortfall Number																										
Electronics & Communication Engg.	12	13*	-																										
MCA	10	10	-																										
H & S	20	20	-																										

All the information furnished above has been filled up as per the compliance report and the annexed documents.

Signature of the HEAD OF THE INSTITUTION :